ELSEVIER

Journal of Organometallic Chemistry 577 (1999) 365–366

Journal of Organometallic Chemistry

Author Index of Volume 577

Adams, J.J., 44
Esteruelas, M.A., 265
Alias, F.M., 316
Alt, H.G., 351
Alvarez-Toledano, C., 38
Antiñolo, A., 174
Antonova, A.B., 238
Aroney, M.J., 19
Avtomonov, E.V., 113

Bansal, R.K., 337
Beck, W., 93
Belderrain, T.R., 316
Bellabarba, R.M., 211
Belyakov, S., 205
Belzner, J., 330
Blatnak, J.M., 31
Bookham, J.L., 305
Bosque, R., 292
Brönnecke, C., 330
Bruce, D.W., 150
Brunner, H., 346
Butcher, R.J., 228, 243

Cambridge, J., 249
Carmona, E., 316
Carrillo-Hermosilla, F., 174
Carty, A.J., 126
Caubet, A., 292
Ceccon, A., 167
Čejka, J., 103
Cendrowski-Guillaume, S.M., 161
Cenini, S., 283
Chohan, Z.H., 140
Choudhary, A., 249
Clark, D.L., 228
Corrochano, A.E., 174
Cortés-Cortés, E., 38
Císařová, I., 103
Curnow, O.J., 44

Davies, M.S., 19
Day, C.S., 120
del Rosario Benites, M., 24
De Paul, S.M., 19
Deykhina, N.A., 238
Dinger, M.B., 219
Dolgushin, F.M., 238
Douskey, M.C., 19

Eng, G., 1
Enright, G.D., 126
Enríquez, J., 38
Ephritikhine, M., 161

Feher, F.J., 189
Fernández-Baeza, J., 174
Fernández-Galán, R., 271
Font-Bardia, M., 292
Friend, J., 249
Fronczek, F.R., 24

Ganis, P., 167
García-Mellado, O., 38
Garg, R., 249
Geiger, W.E., 189
Gianguzza, A., 113
Ginzburg, A.G., 238
Gordon, J.C., 228
Graiff, C., 316
Green, M., 189
Green, M.L.H., 211
Grigoriev, E.V., 113
Gull, A.M., 31
Gupta, N., 337
Gutiérrez-Pérez, R., 38

Hamor, T.A., 15
Heinicke, J., 337
Hemond, R.C., 189
Henderson, W., 219
Herberhold, M., 76
Herbst-Irmer, R., 330
Hill, G., 249
Hirakida, M., 58
Hoffmüller, W., 93
Horáček, M., 103
Howie, R.A., 140
Hussain, Z.I., 249
Huttner, G., 44

Ignatovich, L., 205
Imhoff, M., 167

Jain, C.B., 337
Johansson, A.A., 238

Karaghiosoff, K., 69
Karban, J., 103
Kehr, G., 82
Kelling, H., 342
Klapötke, T.M., 69
Köppl, A., 351
Krossing, I., 93
Krumm, B., 69
Kubiak, C.P., 31
Kumar, A., 1
Kunkely, H., 358

Lahoz, F.J., 265
Lanfranchi, M., 174
Lee, K.K.-H., 323
Lindsell, W.E., 9
Lin, Y.-C., 134
Liu, X.-H., 150
Livantsov, M.V., 113
López, C., 292
Lorberth, J., 113
Lovett, S.M., 249
Lukevics, E., 205

Mach, K., 103
Majeed, Z., 15
Mak, T.C.W., 197
Manoli, F., 167
Manzano, B.R., 271
Martínez, A., 265
Martínez-García, M., 38
Martín, M., 265
Maverick, A.W., 24
Mayr, A., 223
McIndoe, J.S., 181
McWhinnie, W.R., 15
Mijolovic, D., 346
Miura, H., 58
Molla, E., 82
Mugesh, G., 243
Munson, E.J., 19

Nath, M., 1
Nguyen, T.-T., 1
Nicholson, B.K., 181
Noltemeyer, M., 330
Nöth, H., 93
Nurul Abser, M., 150

Oro, L.A., 265
Osornio, Y.M., 38
Otero, A., 174, 271

Paneque, M., 316
Pan, Y., 257
Pavlenko, N.I., 238
Paxton, K., 15
Pellerito, A., 113
Pellerito, L., 113
Pellinghelli, M.A., 174
Petrosyan, V.S., 113
Petrovskii, P.V., 238
Petrusová, L., 103
Phillips, L., 19
Pogrebnyakov, D.A., 238
Polborn, K., 93
Polo, E., 211
Prasse, M., 342
Prini, G., 211
Prischenko, A.A., 113
Puerta, M.C., 265
Pui Yin Yu, M., 223

Quarmby, I.C., 189

PII S0022-328X(99)00019-4

Ragaini, F., 283
Reinke, H., 342
Richardson, B.M., 120
Ronneberger, V., 330
Rosair, G.M., 9
Rubaylo, A.I., 238
Ruscitti, O.P., 69

Sakamoto, Y., 58
Santi, S., 167
Satou, T., 58
Schär, D., 330
Schmidt, R., 351
Separovic, F., 19
Sharma, D.C., 337
Shinmyozu, T., 58
Singh, H.B., 243
Smail, S.J., 44
Smithies, D.M., 305
Solans, X., 292
Spence, M.A., 9
Sportiello, P., 283
Steffl, U., 76
Süß, J., 82

Takehara, K., 58
Takemura, H., 58
Tiripicchio, A., 316
Tomonou, M., 58
Toscano, R.A., 38
Traverso, O., 211
Tsang, C.-W., 197
Turnbull, M.M., 44

Valerga, P., 265
Venzo, A., 167
Vlasova, N.N., 157
Vogler, A., 358
Voronkov, M.G., 157
Wardell, J.L., 140
Watkin, J.G., 228
Welker, M.E., 120
Wendler, C., 342
Whiteley, M.W., 249
Wong, W.-T., 323
Wrackmeyer, B., 76, 82

Xie, Z., 197
Xue, F., 197

Yadav, R., 1
Yamamoto, J.H., 126
Yarosh, O.G., 157
Yashina, N.S., 113
Yih, K.-H., 134
Young, G.B., 257

Zhila, G.Y., 157
Ziegeweid, M., 19

ELSEVIER

Journal of Organometallic Chemistry 577 (1999) 367–372

Journal of Organometallic Chemistry

Subject Index of Volume 577

Ab initio calculations
Concerning the transannular bond in silatranes and germatranes: a quantum chemical study, 205
Alkenyl fragment
Reductive elimination of the alkenyl fragment and a phosphine ligand from $[Rh(acac)\{(E)\text{-}CH{=}CHR\}(PCy_3)_2]BF_4$ (R = Cy, Ph, H): preparation of $[(E)\text{-}RHC{=}CHPCy_3]BF_4$ from alkynes, 265
Alkylation, acylation and decarbonylation reactions
Syntheses and reactivity of molybdenum complexes containing the diphenylphosphinodithioformato ligand, 134
Alkylpalladium
Syntheses and spectroscopic characteristics of dialkylpalladium(II) complexes; $PdR_2(cod)$ as precursors for derivatives with N- or P-donor ligands, 257
Alkynes
1,4-Distanna-[4]ferrocenophanes by Pt(0)-catalysed distannation of alkynes, 76
1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82
Alkynyl
Alkynyl and butadiynyl complexes of the cycloheptatrienylmolybdenum auxiliary $Mo(CO)_2(\eta\text{-}C_7H_7)$, 249
AM1
Concerning the transannular bond in silatranes and germatranes: a quantum chemical study, 205
Anionic uranium(III) compounds
Bispentamethylcyclopentadienyl uranium diphenylphosphide compounds, 161
Annulated azaphospholes
Thiazoline- and oxazoline-annulated (η^1-P)-1,3-azaphosphole-(pentacarbonyl)chromium, -molybdenum and -tungsten complexes, 337
ansa-Metallocenes
Synthesis of ring-substituted bis-η^5-cyclopentadienyl derivatives of the Group IV elements containing the bicyclic ligands $\eta^5\text{-}C_5H_3(1,2\text{-}CH_2\text{-})_n$, $n = 4$, 5, or 6, 211
Anthracene
Intermolecular hydrogenation of a C=C bond during π-cyclopentadienyliron complexation of 1,8-dichloro-9,10-dihydro-9,10-ethenoanthracene, 24
Anti-inflammatory activity
Characteristic spectral studies, and antimicrobial and antiinflammatory activities of diorganotin(IV) derivatives of dipeptides, 1
Antimicrobial activity
Characteristic spectral studies, and antimicrobial and antiinflammatory activities of diorganotin(IV) derivatives of dipeptides, 1
Arene
Intermolecular hydrogenation of a C=C bond during π-cyclopentadienyliron complexation of 1,8-dichloro-9,10-dihydro-9,10-ethenoanthracene, 24
π-Arene complexes
The first osmium(II), ruthenium(II) and iron(II) complexes of $[3_n]$cyclophanes ($n = 2$–4): synthesis and electrochemical study, 58
Aryloxide
Synthesis and X-ray crystal structures of the samarium mono(pentamethylcyclopentadienyl) aryloxide complexes $(\eta\text{-}C_5Me_4)Sm(O\text{-}2,6\text{-}t\text{-}Bu_2C_6H_3)_2(THF)$ and $[(\eta\text{-}C_5Me_5)Sm(O\text{-}2,6\text{-}i\text{-}Pr_2C_6H_3)_2Li(THF)]$. Differences in metathesis chemistry of 2,6-di-*iso*-propylphenoxide and 2,6-di-*tert*-butylphenoxide ligands, 228
Aryloxides
IR spectroscopic studies of the reversible equilibria between Rh(I)(triphos) aryloxides, aryloxycarbonyls, and carbonyls, 31
Aryloxycarbonyls
IR spectroscopic studies of the reversible equilibria between Rh(I)(triphos) aryloxides, aryloxycarbonyls, and carbonyls, 31

BF_4^- coordination
New studies on the reactivity of allyl difluorophosphate palladium complexes: synthesis of the first difluorophosphate metallocene derivatives, 271
Bis(tetramethylcyclopentadienyl)titanium(III) hydride catalyst
Titanium-catalyzed head-to-tail dimerization of *tert*-butylacetylene. Crystal structures of $[(C_5HMe_4)_2Ti(\mu\text{-}H)_2Mg(THF)(\mu\text{-}Cl)]_2$ (THF-tetrahydrofuran) and $(C_5HMe_4)_2TiOCMe_3$, 103
Bis(tetramethylcyclopentadienyl)titanium(III) *tert*-butoxide
Titanium-catalyzed head-to-tail dimerization of *tert*-butylacetylene. Crystal structures of $[(C_5HMe_4)_2Ti(\mu\text{-}H)_2Mg(THF)(\mu\text{-}Cl)]_2$ (THF-tetrahydrofuran) and $(C_5HMe_4)_2TiOCMe_3$, 103
Boron
1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82
Butadiynyl
Alkynyl and butadiynyl complexes of the cycloheptatrienylmolybdenum auxiliary $Mo(CO)_2(\eta\text{-}C_7H_7)$, 249

Carbonyl
Facile cleavage of Si–Si or Si–Ge bonds in the reactions of disilanes or germylsilanes with cobalt carbonyl, 181
Carbonyl complexes
Stereoselective addition reactions of diphenylphosphine to pyridyl and pyrimidylalkynes: chiral 1,2-diheteroaryl-1,2-bis-(diphenylphosphino)ethanes and their Group 6 metal carbonyl complexes, 305
Carbonyls
IR spectroscopic studies of the reversible equilibria between Rh(I)(triphos) aryloxides, aryloxycarbonyls, and carbonyls, 31
Catalysis
Enantioselective catalysis: Part 129. A new rhodium(I) complex with a μ_2-H bridged Cp_2WH_2 ligand, 346
Investigation of the possible role of arylamine formation in the *ortho*-substituted nitroarenes reductive cyclization reactions to afford heterocycles, 283
Poly(organosiloxan)mikrogele als Trägermaterialien für heterogene Methylalumoxancokatalysatoren, 351
Charge transfer
Photooxidation of $Rh(PPh_3)_2(CS)Cl$ induced by metal-to-ligand charge transfer excitation, 358

PII S0022-328X(99)00020-0

Chirality
Synthesis and characterization of monomeric tellurolato complexes of zinc and cadmium: crystal and molecular structure of bis[2-(4,4-dimethyl-2-oxazolinyl)phenyl]ditelluride, 243
Cluster
Syntheses and molecular structures of heterometallic carbonyl clusters derived from the triruthenium carbonyl methoxynitrido cluster; crystal and molecular structures of $[Ru_2Mo(\mu\text{-}H)(CO)_8(\eta^5\text{-}C_5H_5)(\mu_3\text{-}NOMe)]$, $[Ru_2Mo(\mu\text{-}H)(CO)_8(\eta^5\text{-}C_5H_5)(\mu_3\text{-}NH)]$ and $[Ru_3(CO)_{10}(\mu\text{-}NH_2)(\mu_3\text{-}Hg)\{Mo(\eta^5\text{-}C_5H_5)(CO)_3\}]$, 323
Clusters
Chemistry of vinylidene complexes. XIII. The reaction between $Cp(CO)_2MnPt(\mu\text{-}C{=}CHPh)(\eta^2\text{-dppm})$ and $Fe_2(CO)_9$: simultaneous formation of the μ_3-vinylidene MnFePt and μ_4-vinylidene $PtFe_3$ clusters. Crystal structure of $(\eta_5\text{-}C_5H_5)MnFePt(\mu_3\text{-}C{=}CHPh)(CO)_8[\eta^1\text{-}Ph_2PCH_2P(=O)Ph_2]$, 238
Cobalt
Facile cleavage of Si–Si or Si–Ge bonds in the reactions of disilanes or germylsilanes with cobalt carbonyl, 181
Complex
$[Rh_2(\mu\text{-}CO)(CO)_2(\eta\text{-indenyl})_2]$ from solid state decarbonylation of the monomer $(\eta\text{-indenyl})\text{-}Rh(CO)_2$, 167
Crystal structure
Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl)-pyrrolidin (SAMP), 93
Synthesis and characterisation of the first auracyclobutane complex, 219
Synthesis, structure and properties of 1,2-dihydroxy-tetramethyl-disilane, 342
Crystal structures
Titanium-catalyzed head-to-tail dimerization of *tert*-butylacetylene. Crystal structures of $[(C_5HMe_4)_2Ti(\mu\text{-}H)_2Mg(THF)(\mu\text{-}Cl)]_2$ (THF-tetrahydrofuran) and $(C_5HMe_4)_2TiOCMe_3$, 103
Cyclic voltammetry
The first osmium(II), ruthenium(II) and iron(II) complexes of $[3_n]$cyclophanes ($n = 2$–4): synthesis and electrochemical study, 58
Cycloaddition reactions
Transition-metal mediated *exo* selective and enantioselective Diels–Alder reactions for the preparation of octalones with unusual stereochemistries. Reactions of 2-cobaloxime substituted 1,3-dienes with cyclohexenone in optically active Lewis acid catalyzed [4 + 2] cycloadditions, 120
Cycloheptatrienyl
Alkynyl and butadiynyl complexes of the cycloheptatrienylmolybdenum auxiliary $Mo(CO)_2(\eta\text{-}C_7H_7)$, 249
Cyclopentadienyl
Monocyclopentadienyltitanium complexes with thiolate ligands; crystal structure of $Ti(\eta^5\text{-}C_5H_5)(SC_6H_5)_3$, 9
Synthesis and electrochemistry of complexes containing the ferrocenyl–phosphine ligand $PPh(CH_2CH_2\text{-}\eta^5\text{-}C_5H_4)_2Fe$, 44
Cyclophanes
The first osmium(II), ruthenium(II) and iron(II) complexes of $[3_n]$cyclophanes ($n = 2$–4): synthesis and electrochemical study, 58
Cyclotrisilane
Reactions of a cyclotrisilane with Lewis acids—formation of new cyclotrisilanes and siliconium ions, 330

2D exchange spectroscopy
Variable-temperature one- and two-dimensional ^{13}C CP/MAS NMR studies of the dynamics of monohaptocyclopentadienyl rings of hafnium and titanium tetracyclopentadienyl in the solid state, 19
Dialkyl tellurides
Synthesis and characterization of dicyclohexyl telluride; Raman spectra and multinuclear NMR studies of dialkyl tellurides, 69
Diels–Alder reactions
Transition-metal mediated *exo* selective and enantioselective Diels–Alder reactions for the preparation of octalones with unusual stereochemistries. Reactions of 2-cobaloxime substituted 1,3-dienes with cyclohexenone in optically active Lewis acid catalyzed [4 + 2] cycloadditions, 120
Dienyl complexes
Transition-metal mediated *exo* selective and enantioselective Diels–Alder reactions for the preparation of octalones with unusual stereochemistries. Reactions of 2-cobaloxime substituted 1,3-dienes with cyclohexenone in optically active Lewis acid catalyzed [4 + 2] cycloadditions, 120
Difluorophosphate
New studies on the reactivity of allyl difluorophosphate palladium complexes: synthesis of the first difluorophosphate metallocene derivatives, 271
Dimer
$[Rh_2(\mu\text{-}CO)(CO)_2(\eta\text{-indenyl})_2]$ from solid state decarbonylation of the monomer $(\eta\text{-indenyl})\text{-}Rh(CO)_2$, 167
Dimeric species
Synthesis and reactivity studies of Pd(II) complexes of the bulky $CH(SiMe_3)_2$ group. X ray structure of the indenyl derivative $(\eta\text{-Ind})Pd[CH(SiMe_3)_2](PMe_3)$, 316
Dimerization
Titanium-catalyzed head-to-tail dimerization of *tert*-butylacetylene. Crystal structures of $[(C_5HMe_4)_2Ti(\mu\text{-}H)_2Mg(THF)(\mu\text{-}Cl)]_2$ (THF-tetrahydrofuran) and $(C_5HMe_4)_2TiOCMe_3$, 103
Dinuclear complexes
Synthesis and X-ray characterization of new 1-[μ-dithio-bis-(tricarbonyliron)]-2-(*p*-*R*-benzoyl)ethane complexes, 38
Dipeptides
Characteristic spectral studies, and antimicrobial and antiinflammatory activities of diorganotin(IV) derivatives of dipeptides, 1
Diphenylphosphine
Stereoselective addition reactions of diphenylphosphine to pyridyl and pyrimidylalkynes: chiral 1,2-diheteroaryl-1,2-bis-(diphenylphosphino)ethanes and their Group 6 metal carbonyl complexes, 305
Diphenylphosphinodithioformato ligand
Syntheses and reactivity of molybdenum complexes containing the diphenylphosphinodithioformato ligand, 134
Disilanediol
Synthesis, structure and properties of 1,2-dihydroxy-tetramethyl-disilane, 342
Distannation
1,4-Distanna-[4]ferrocenophanes by Pt(0)-catalysed distannation of alkynes, 76
Ditelluride
Synthesis and characterization of monomeric tellurolato complexes of zinc and cadmium: crystal and molecular structure of bis[2-(4,4-dimethyl-2-oxazolinyl)phenyl]ditelluride, 243
1,3-Dithiole-2-one-4,5-dithiolato-
Diorgano(1,3 - dithiole - 2 - one - 4,5 - dithiolato)tin compounds, $R_2Sn(dmio)$ and $[Q][R_2Sn(dmio)X]$ [Q = onium cation; R = alkyl or aryl; X = halide or pseudohalide]: crystal structures of $Me_2Sn(dmio)$ and $[NEt_4][Ph_2SnCl(dmio)]$, 140
Donor-acceptor complex
Reactions of a cyclotrisilane with Lewis acids—formation of new cyclotrisilanes and siliconium ions, 330
Dynamic behavior
Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato] titanium and zirconium(IV) complexes. Molecular structure of $[Ti(HB(3,5\text{-}Me_2pz)_3)Cl_3]$, 174

Electrochemistry
Redox properties of the 17-electron sandwich $(\eta^5\text{-}C_5H_5)Mo(\eta^6\text{-}C_6Ph_6)$: electrochemical characterization of the 16 e$^-$ Lewis acid monocation and its PF_6^- adduct, 189

17-Electron
Redox properties of the 17-electron sandwich $(\eta^5\text{-}C_5H_5)Mo(\eta^6\text{-}C_6Ph_6)$: electrochemical characterization of the 16 e$^-$ Lewis acid monocation and its PF_6^- adduct, 189
Electron spin resonance
Titanium-catalyzed head-to-tail dimerization of *tert*-butylacetylene. Crystal structures of $[(C_5HMe_4)_2Ti(\mu\text{-}H)_2Mg(THF)(\mu\text{-}Cl)]_2$ (THF-tetrahydrofuran) and $(C_5HMe_4)_2TiOCMe_3$, 103
Electrospray mass spectrometry
Synthesis and characterisation of the first auracyclobutane complex, 219
Enantioselectivity
Enantioselective catalysis: Part 129. A new rhodium(I) complex with a μ_2-H bridged Cp_2WH_2 ligand, 346
Ethanethiol addition
The photochemical reaction of Si-substituted vinyl(ethynyl)- and diethynylsilanes with ethanethiol and its C-functional derivatives, 157
Ethenoanthracene
Intermolecular hydrogenation of a C=C bond during π-cyclopentadienyliron complexation of 1,8-dichloro-9,10-dihydro-9,10-ethenoanthracene, 24

Ferrocene
1,4-Distanna-[4]ferrocenophanes by Pt(0)-catalysed distannation of alkynes, 76
Synthesis and electrochemistry of complexes containing the ferrocenyl–phosphine ligand $PPh(CH_2CH_2\text{-}\eta^5\text{-}C_5H_4)_2Fe$, 44
Ferrocenyl
Palladium (II) and platinum (II) compounds containing bi- and terdentate ferrocenyl ligands. X-ray crystal structure of *cis*-$[Pd\{(\eta^5\text{-}C_5H_5)Fe\{(\eta^5\text{-}C_5H_4)\text{–}CH\text{=}N\text{–}CH_2\text{–}CH_2\text{–}N(CH_3)_2\}\}Cl_2]$, 292
Fluoride
Oxide bridged mixed metal organometallics: the reaction of $Ru_4(CO)_{13}[\mu_3\text{-}PN(R)_2]$ R = ^{i}Pr, Cy with $Cp^*W(O)_2CCPh$, 126
Fluxional behavior
New studies on the reactivity of allyl difluorophosphate palladium complexes: synthesis of the first difluorophosphate metallocene derivatives, 271
Fluxional organometallics
Variable-temperature one- and two-dimensional ^{13}C CP/MAS NMR studies of the dynamics of monohaptocyclopentadienyl rings of hafnium and titanium tetracyclopentadienyl in the solid state, 19

Germatrane/MNDO
Concerning the transannular bond in silatranes and germatranes: a quantum chemical study, 205
Germylene
Facile cleavage of Si–Si or Si–Ge bonds in the reactions of disilanes or germylsilanes with cobalt carbonyl, 181
Gold
Synthesis and characterisation of the first auracyclobutane complex, 219
Group 10
Synthesis and electrochemistry of complexes containing the ferrocenyl–phosphine ligand $PPh(CH_2CH_2\text{-}\eta^5\text{-}C_5H_4)_2Fe$, 44
Group 6 metals
Stereoselective addition reactions of diphenylphosphine to pyridyl and pyrimidylalkynes: chiral 1,2-diheteroaryl-1,2-bis(diphenylphosphino)ethanes and their Group 6 metal carbonyl complexes, 305

Hafnium
Synthesis of ring-substituted bis-η^5-cyclopentadienyl derivatives of the Group IV elements containing the bicyclic ligands $\eta^5\text{-}C_5H_4(1,2\text{-}CH_2\text{–})_n$, $n = 4$, 5, or 6, 211
H-bonding
Synthesis, structure and properties of 1,2-dihydroxy-tetramethyldisilane, 342
Heterobimetallics
Synthesis and electrochemistry of complexes containing the ferrocenyl–phosphine ligand $PPh(CH_2CH_2\text{-}\eta^5\text{-}C_5H_4)_2Fe$, 44
Heterocycles
The structural characterisation of telluraphthalic anhydride, selenaphthalic anhydride and of 2-selenaphthalide, 15
Hexahalocarborane
Synthesis and structural characterization of new weakly coordinating anions. Crystal structure of $Ag(1\text{-}CH_3\text{–}CB_{11}H_5X_6)$ (X = H, Cl, Br, I), 197
Hydrogenation
Intermolecular hydrogenation of a C=C bond during π-cyclopentadienyliron complexation of 1,8-dichloro-9,10-dihydro-9,10-ethenoanthracene, 24

Indenyl ligand
Synthesis and reactivity studies of Pd(II) complexes of the bulky $CH(SiMe_3)_2$ group. X ray structure of the indenyl derivative $(\eta\text{-Ind})Pd[CH(SiMe_3)_2](PMe_3)$, 316
Inner salt
Tin(IV) complexes with *O*-ethyl(*N*-ethyl-*N*,*N*-dimethylammoniomethyl)phosphonate, 113
Intermolecular
Intermolecular hydrogenation of a C=C bond during π-cyclopentadienyliron complexation of 1,8-dichloro-9,10-dihydro-9,10-ethenoanthracene, 24
Intramolecular coordination
Synthesis and characterization of monomeric tellurolato complexes of zinc and cadmium: crystal and molecular structure of bis[2-(4,4-dimethyl-2-oxazolinyl)phenyl]ditelluride, 243
Iridium
Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl)-pyrrolidin (SAMP), 93
Iron
Intermolecular hydrogenation of a C=C bond during π-cyclopentadienyliron complexation of 1,8-dichloro-9,10-dihydro-9,10-ethenoanthracene, 24
Iron(0)
Synthesis and X-ray characterization of new 1-[μ-dithio-bis-(tricarbonyliron)]-2-(*p*-*R*-benzoyl)ethane complexes, 38
Iron
Chemistry of vinylidene complexes. XIII. The reaction between $Cp(CO)_2MnPt(\mu\text{-}C\text{=}CHPh)(\eta^2\text{-dppm})$ and $Fe_2(CO)_9$: simultaneous formation of the μ_3-vinylidene MnFePt and μ_4-vinylidene $PtFe_3$ clusters. Crystal structure of $(\eta_5\text{-}C_5H_5)MnFePt(\mu_3\text{-}C\text{=}CHPh)(CO)_6[\eta^1\text{-}Ph_2PCH_2P(\text{=}O)Ph_2]$, 238
The first osmium(II), ruthenium(II) and iron(II) complexes of [3$_n$]cyclophanes ($n = 2$–4): synthesis and electrochemical study, 58
Isocyanide
Unsaturated alkylidyne ligands bearing a terminal isocyanide functionality and intervening ethynylbenzene groups, 223

Lewis acid
Reactions of a cyclotrisilane with Lewis acids—formation of new cyclotrisilanes and siliconium ions, 330
Lewis acid catalysis
Transition-metal mediated *exo* selective and enantioselective Diels–Alder reactions for the preparation of octalones with unusual stereochemistries. Reactions of 2-cobaloxime substituted 1,3-dienes with cyclohexenone in optically active Lewis acid catalyzed [4 + 2] cycloadditions, 120
Ligand-exchange
Syntheses and spectroscopic characteristics of dialkylpalladium(II) complexes; PdR_2(cod) as precursors for derivatives with N- or P-donor ligands, 257

Lithiation
Synthesis and structural characterization of new weakly coordinating anions. Crystal structure of Ag(1-CH_3-$CB_{11}H_5X_6$) (X = H, Cl, Br, I), 197

Manganese
Chemistry of vinylidene complexes. XIII. The reaction between $Cp(CO)_2MnPt(\mu$-C=CHPh)(η^2-dppm) and $Fe_2(CO)_9$: simultaneous formation of the μ_3-vinylidene MnFePt and μ_4-vinylidene $PtFe_3$ clusters. Crystal structure of (η_5-C_5H_5)MnFePt(μ_3-C=CHPh)$(CO)_8[\eta^1$-$Ph_2PCH_2P(=O)Ph_2]$, 238

Metal alkylidyne
Unsaturated alkylidyne ligands bearing a terminal isocyanide functionality and intervening ethynylbenzene groups, 223

Metallacycle
Bispentamethylcyclopentadienyl uranium diphenylphosphide compounds, 161

Metallacyclobutane
Synthesis and characterisation of the first auracyclobutane complex, 219

Metallocene
Poly(organosiloxan)mikrogele als Trägermaterialien für heterogene Methylalumoxancokatalysatoren, 351
Redox properties of the 17-electron sandwich (η^5-C_5H_5)Mo(η^6-C_6Ph_6): electrochemical characterization of the 16 e$^-$ Lewis acid monocation and its PF_6^- adduct, 189

Metallocenes
Synthesis of ring-substituted bis-η^5-cyclopentadienyl derivatives of the Group IV elements containing the bicyclic ligands η^5-$C_5H_3(1,2$-$CH_2-)_n$, $n = 4$, 5, or 6, 211

Metathesis
Synthesis and X-ray crystal structures of the samarium mono(pentamethylcyclopentadienyl) aryloxide complexes (η-C_5Me_5)Sm(O-2,6-*t*-$Bu_2C_6H_3)_2$(THF) and [(η-C_5Me_5)Sm-(O-2,6-*i*-$Pr_2C_6H_3)_3$Li(THF)]. Differences in metathesis chemistry of 2,6-di-*iso*-propylphenoxide and 2,6-di-*tert*-butylphenoxide ligands, 228

Methoxynitrido
Syntheses and molecular structures of heterometallic carbonyl clusters derived from the triruthenium carbonyl methoxynitrido cluster; crystal and molecular structures of [$Ru_2Mo(\mu$-H)$(CO)_8(\eta^5$-$C_5H_5)(\mu_3$-NOMe)], [$Ru_2Mo(\mu$-H)-$(CO)_8(\eta^5$-$C_5H_5)(\mu_3$-NH)] and [$Ru_3(CO)_{10}(\mu$-$NH_2)(\mu_3$-Hg)-{$Mo(\eta^5$-$C_5H_5)(CO)_3$}], 323

Microgel
Poly(organosiloxan)mikrogele als Trägermaterialien für heterogene Methylalumoxancokatalysatoren, 351

Molybdenum
Alkynyl and butadiynyl complexes of the cycloheptatrienylmolybdenum auxiliary $Mo(CO)_2(\eta$-$C_7H_7)$, 249
Redox properties of the 17-electron sandwich (η^5-C_5H_5)Mo(η^6-C_6Ph_6): electrochemical characterization of the 16 e$^-$ Lewis acid monocation and its PF_6^- adduct, 189
Syntheses and molecular structures of heterometallic carbonyl clusters derived from the triruthenium carbonyl methoxynitrido cluster; crystal and molecular structures of [$Ru_2Mo(\mu$-H)$(CO)_8(\eta^5$-$C_5H_5)(\mu_3$-NOMe)], [$Ru_2Mo(\mu$-H)-$(CO)_8(\eta^5$-$C_5H_5)(\mu_3$-NH)] and [$Ru_3(CO)_{10}(\mu$-$NH_2)(\mu_3$-Hg)-{$Mo(\eta^5$-$C_5H_5)(CO)_3$}], 323
Synthesis and electrochemistry of complexes containing the ferrocenyl–phosphine ligand $PPh(CH_2CH_2$-η^5-$C_5H_4)_2Fe$, 44

Molybdenum complex
Syntheses and reactivity of molybdenum complexes containing the diphenylphosphinodithioformato ligand, 134

Monomeric tellurolates
Synthesis and characterization of monomeric tellurolato complexes of zinc and cadmium: crystal and molecular structure of bis[2-(4,4-dimethyl-2-oxazolinyl)phenyl]ditelluride, 243

Mössbauer spectroscopy
Tin(IV) complexes with *O*-ethyl(*N*-ethyl-*N*,*N*-dimethylammoniomethyl)phosphonate, 113

Nitrene
Syntheses and molecular structures of heterometallic carbonyl clusters derived from the triruthenium carbonyl methoxynitrido cluster; crystal and molecular structures of [$Ru_2Mo(\mu$-H)$(CO)_8(\eta^5$-$C_5H_5)(\mu_3$-NOMe)], [$Ru_2Mo(\mu$-H)-$(CO)_8(\eta^5$-$C_5H_5)(\mu_3$-NH)] and [$Ru_3(CO)_{10}(\mu$-$NH_2)(\mu_3$-Hg)-{$Mo(\eta^5$-$C_5H_5)(CO)_3$}], 323

NMR
1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82

NMR spectroscopy
1,4-Distanna-[4]ferrocenophanes by Pt(0)-catalysed distannation of alkynes, 76
Thiazoline- and oxazoline-annulated (η^1-P)-1,3-azaphosphole-(pentacarbonyl)chromium, -molybdenum and -tungsten complexes, 337

Octahedral
Diorgano(1,3 - dithiole - 2 - one - 4,5 - dithiolato)tin compounds, R_2Sn(dmio) and [Q][R_2Sn(dmio)X] [Q = onium cation; R = alkyl or aryl; X = halide or pseudohalide]: crystal structures of Me_2Sn(dmio) and [NEt_4][Ph_2SnCl(dmio)], 140

Optical activity
Enantioselective catalysis: Part 129. A new rhodium(I) complex with a μ_2-H bridged Cp_2WH_2 ligand, 346

1,1-Organoboration
1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82

Organometallic
Syntheses and spectroscopic characteristics of dialkylpalladium(II) complexes; PdR_2(cod) as precursors for derivatives with N- or P-donor ligands, 257

Organotin(IV)
Characteristic spectral studies, and antimicrobial and antiinflammatory activities of diorganotin(IV) derivatives of dipeptides, 1

Osmium
The first osmium(II), ruthenium(II) and iron(II) complexes of [3_n]cyclophanes ($n = 2$–4): synthesis and electrochemical study, 58

Palladium
Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl)-pyrrolidin (SAMP), 93
Investigation of the possible role of arylamine formation in the *ortho*-substituted nitroarenes reductive cyclization reactions to afford heterocycles, 283
Palladium (II) and platinum (II) compounds containing bi- and terdentate ferrocenyl ligands. X-ray crystal structure of *cis*-[Pd{(η^5-C_5H_5)Fe{(η^5-C_5H_4)–CH=N–CH_2–CH_2–$N(CH_3)_2$]}Cl_2], 292
Syntheses and spectroscopic characteristics of dialkylpalladium(II) complexes; PdR_2(cod) as precursors for derivatives with N- or P-donor ligands, 257

η^1-P coordination
Thiazoline- and oxazoline-annulated (η^1-P)-1,3-azaphosphole-(pentacarbonyl)chromium, -molybdenum and -tungsten complexes, 337

Pd–alkyl complexes
Synthesis and reactivity studies of Pd(II) complexes of the bulky $CH(SiMe_3)_2$ group. X ray structure of the indenyl derivative (η-Ind)Pd[$CH(SiMe_3)_2$](PMe_3), 316

Pd-, Ti- and Mo-complexes
New studies on the reactivity of allyl difluorophosphate palladium complexes: synthesis of the first difluorophosphate metallocene derivatives, 271

Pentacarbonyl complexes
Thiazoline- and oxazoline-annulated (η^1-P)-1,3-azaphosphole-(pentacarbonyl)chromium, -molybdenum and -tungsten complexes, 337
Pentalenes
1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82
Pentamethylcyclopentadienyl
Synthesis and X-ray crystal structures of the samarium mono(pentamethylcyclopentadienyl) aryloxide complexes (η-C_5Me_5)Sm(O-2,6-*t*-$Bu_2C_6H_3$)$_2$(THF) and [(η-C_5Me_5)Sm-(O-2,6-*i*-$Pr_2C_6H_3$)$_3$Li(THF)]. Differences in metathesis chemistry of 2,6-di-*iso*-propylphenoxide and 2,6-di-*tert*-butylphenoxide ligands, 228
Phosphine
Reductive elimination of the alkenyl fragment and a phosphine ligand from [Rh(acac){(*E*)-CH=CHR}(PCy_3)$_2$]BF_4 (R = Cy, Ph, H): preparation of [(E)-RHC=CHPCy_3]BF_4 from alkynes, 265
Synthesis and electrochemistry of complexes containing the ferrocenyl–phosphine ligand PPh(CH_2CH_2-η^5-C_5H_4)$_2$Fe, 44
Phosphinidene
Oxide bridged mixed metal organometallics: the reaction of $Ru_4(CO)_{13}$[μ_3-PN(R)$_2$] R = *i*Pr, Cy with Cp*W(O)$_2$CCPh, 126
Phosphinidoxo
Oxide bridged mixed metal organometallics: the reaction of $Ru_4(CO)_{13}$[μ_3-PN(R)$_2$] R = *i*Pr, Cy with Cp*W(O)$_2$CCPh, 126
Phosphonic acid monoester ligand
Tin(IV) complexes with *O*-ethyl(*N*-ethyl-*N*,*N*-dimethylammoniomethyl)phosphonate, 113
Photochemistry
Photooxidation of Rh(PPh_3)$_2$(CS)Cl induced by metal-to-ligand charge transfer excitation, 358
The photochemical reaction of Si-substituted vinyl(ethynyl)- and diethynylsilanes with ethanethiol and its C-functional derivatives, 157
Platinum
Chemistry of vinylidene complexes. XIII. The reaction between Cp(CO)$_2$MnPt(μ-C=CHPh)(η^2-dppm) and $Fe_2(CO)_9$: simultaneous formation of the μ_3-vinylidene MnFePt and μ_4-vinylidene $PtFe_3$ clusters. Crystal structure of (η_5-C_5H_5)MnFePt(μ_3-C=CHPh)(CO)$_6$[η^1-Ph_2PCH_2P(=O)Ph_2], 238
1,4-Distanna-[4]ferrocenophanes by Pt(0)-catalysed distannation of alkynes, 76
Palladium (II) and platinum (II) compounds containing bi- and terdentate ferrocenyl ligands. X-ray crystal structure of *cis*-[Pd{(η^5-C_5H_5)Fe{(η^5-C_5H_4)–CH=N–CH_2–CH_2–N-(CH_3)$_2$}}Cl_2], 292
Polyethylene
Poly(organosiloxan)mikrogele als Trägermaterialien für heterogene Methylalumoxancokatalysatoren, 351
Polymerization
Poly(organosiloxan)mikrogele als Trägermaterialien für heterogene Methylalumoxancokatalysatoren, 351
Pyrazolylborates
Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato] titanium and zirconium(IV) complexes. Molecular structure of [Ti(HB(3,5-Me_2pz)$_3$)Cl_3], 174
Pyridine
Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato] titanium and zirconium(IV) complexes. Molecular structure of [Ti(HB(3,5-Me_2pz)$_3$)Cl_3], 174
Pyrimidine
Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato] titanium and zirconium(IV) complexes. Molecular structure of [Ti(HB(3,5-Me_2pz)$_3$)Cl_3], 174

Raman spectroscopy
Synthesis and characterization of dicyclohexyl telluride; Raman spectra and multinuclear NMR studies of dialkyl tellurides, 69
Reduction
Bispentamethylcyclopentadienyl uranium diphenylphosphide compounds, 161
Reductive carbonylation
Investigation of the possible role of arylamine formation in the *ortho*-substituted nitroarenes reductive cyclization reactions to afford heterocycles, 283
Reductive elimination
Reductive elimination of the alkenyl fragment and a phosphine ligand from [Rh(acac){(*E*)-CH=CHR}(PCy_3)$_2$]BF_4 (R = Cy, Ph, H): preparation of [(E)-RHC=CHPCy_3]BF_4 from alkynes, 265
Reversible equilibria
IR spectroscopic studies of the reversible equilibria between Rh(I)(triphos) aryloxides, aryloxycarbonyls, and carbonyls, 31
Rhodium
Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl) pyrrolidin (SAMP), 93
Investigation of the possible role of arylamine formation in the *ortho*-substituted nitroarenes reductive cyclization reactions to afford heterocycles, 283
Photooxidation of Rh(PPh_3)$_2$(CS)Cl induced by metal-to-ligand charge transfer excitation, 358
Ruthenium
Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl) pyrrolidin (SAMP), 93
Investigation of the possible role of arylamine formation in the *ortho*-substituted nitroarenes reductive cyclization reactions to afford heterocycles, 283
Oxide bridged mixed metal organometallics: the reaction of $Ru_4(CO)_{13}$[μ_3-PN(R)$_2$] R = *i*Pr, Cy with Cp*W(O)$_2$CCPh, 126
Syntheses and molecular structures of heterometallic carbonyl clusters derived from the triruthenium carbonyl methoxynitrido cluster; crystal and molecular structures of [Ru_2Mo(μ-H)(CO)$_8$(η^5-C_5H_5)(μ_3-NOMe)], [Ru_2Mo(μ-H)-(CO)$_8$(η^5-C_5H_5)(μ_3-NH)] and [Ru_3(CO)$_{10}$(μ-NH_2)(μ_3-Hg)-{Mo(η^5-C_5H_5)(CO)$_3$}], 323
The first osmium(II), ruthenium(II) and iron(II) complexes of [3$_n$]cyclophanes (n = 2–4): synthesis and electrochemical study, 58

Samarium
Synthesis and X-ray crystal structures of the samarium mono(pentamethylcyclopentadienyl) aryloxide complexes (η-C_5Me_5)Sm(O-2,6-*t*-$Bu_2C_6H_3$)$_2$(THF) and [(η-C_5Me_5)Sm (O-2,6-*i*-$Pr_2C_6H_3$)$_3$Li(THF)]. Differences in metathesis chemistry of 2,6-di-*iso*-propylphenoxide and 2,6-di-*tert*-butylphenoxide ligands, 228
SAMP
Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl) pyrrolidin (SAMP), 93
Schiff base complexes
Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl) pyrrolidin (SAMP), 93
Schiff bases
Palladium (II) and platinum (II) compounds containing bi- and terdentate ferrocenyl ligands. X-ray crystal structure of *cis*-[Pd{(η^5-C_5H_5)Fe{(η^5-C_5H_4)–CH=N–CH_2–CH_2–N (CH_3)$_2$}}Cl_2], 292
Selenium
The structural characterisation of telluraphthalic anhydride, selenaphthalic anhydride and of 2-selenaphthalide, 15
Semiempirical calculations
Synthesis and characterization of dicyclohexyl telluride; Raman spectra and multinuclear NMR studies of dialkyl tellurides, 69

Silanes
The photochemical reaction of Si-substituted vinyl(ethynyl)- and diethynylsilanes with ethanethiol and its C-functional derivatives, 157
Silatrane
Concerning the transannular bond in silatranes and germatranes: a quantum chemical study, 205
Silicon
1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82
Siloles
1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82
Silylene
Facile cleavage of Si–Si or Si–Ge bonds in the reactions of disilanes or germylsilanes with cobalt carbonyl, 181
Solid-state NMR spectroscopy
Variable-temperature one- and two-dimensional ^{13}C CP/MAS NMR studies of the dynamics of monohaptocyclopentadienyl rings of hafnium and titanium tetracyclopentadienyl in the solid state, 19
Spectroscopic and X-ray analysis
$[Rh_2(\mu\text{-}CO)(CO)_2(\eta\text{-indenyl})_2]$ from solid state decarbonylation of the monomer (η-indenyl)-$Rh(CO)_2$, 167
Stereoselective addition
Stereoselective addition reactions of diphenylphosphine to pyridyl and pyrimidylalkynes: chiral 1,2-diheteroaryl-1,2-bis-(diphenylphosphino)ethanes and their Group 6 metal carbonyl complexes, 305
Sulfur
Synthesis and X-ray characterization of new 1-[μ-dithio-bis-(tricarbonyliron)]-2-(*p*-*R*-benzoyl)ethane complexes, 38
Support
Poly(organosiloxan)mikrogele als Trägermaterialien für heterogene Methylalumoxancokatalysatoren, 351

Tellurium
The structural characterisation of telluraphthalic anhydride, selenaphthalic anhydride and of 2-selenaphthalide, 15
^{125}Te-NMR
Synthesis and characterization of dicyclohexyl telluride; Raman spectra and multinuclear NMR studies of dialkyl tellurides, 69
tert-Butylacetylene
Titanium-catalyzed head-to-tail dimerization of *tert*-butylacetylene. Crystal structures of $[(C_5HMe_4)_2Ti(\mu\text{-}H)_2Mg(THF)(\mu\text{-}Cl)]_2$ (THF-tetrahydrofuran) and $(C_5HMe_4)_2TiOCMe_3$, 103
Tetrahydroindenes
Synthesis of ring-substituted bis-η^5-cyclopentadienyl derivatives of the Group IV elements containing the bicyclic ligands $\eta^5\text{-}C_5H_3(1,2\text{-}CH_2\text{–})_n$, $n = 4$, 5, or 6, 211
Thermolysis
Bispentamethylcyclopentadienyl uranium diphenylphosphide compounds, 161
Thiocarbonyl
Photooxidation of $Rh(PPh_3)_2(CS)Cl$ induced by metal-to-ligand charge transfer excitation, 358
Thiolate
Monocyclopentadienyltitanium complexes with thiolate ligands; crystal structure of $Ti(\eta^5\text{-}C_5H_5)(SC_6H_4)_3$, 9
Tin
Diorgano(1,3 - dithiole - 2 - one - 4,5 - dithiolato)tin compounds, $R_2Sn(dmio)$ and $[Q][R_2Sn(dmio)X]$ [Q = onium cation; R = alkyl or aryl; X = halide or pseudohalide]: crystal structures of $Me_2Sn(dmio)$ and $[NEt_4][Ph_2SnCl(dmio)]$, 140
1,4-Distanna-[4]ferrocenophanes by Pt(0)-catalysed distannation of alkynes, 76
Tin(IV) complexes with *O*-ethyl(*N*-ethyl-*N*,*N*-dimethylammoniomethyl)phosphonate, 113
Titanium
Monocyclopentadienyltitanium complexes with thiolate ligands; crystal structure of $Ti(\eta^5\text{-}C_5H_5)(SC_6H_4)_3$, 9
Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato] titanium and zirconium(IV) complexes. Molecular structure of $[Ti(HB(3,5\text{-}Me_2pz)_3)Cl_3]$, 174
Synthesis of ring-substituted bis-η^5-cyclopentadienyl derivatives of the Group IV elements containing the bicyclic ligands $\eta^5\text{-}C_5H_3(1,2\text{-}CH_2\text{–})_n$, $n = 4$, 5, or 6, 211
Transition metals
Thiazoline- and oxazoline-annulated (η^1-P)-1,3-azaphosphole-(pentacarbonyl)chromium, -molybdenum and -tungsten complexes, 337
Trigonal bipyramidal
Diorgano(1,3 - dithiole - 2 - one - 4,5 - dithiolato)tin compounds, $R_2Sn(dmio)$ and $[Q][R_2Sn(dmio)X]$ [Q = onium cation; R = alkyl or aryl; X = halide or pseudohalide]: crystal structures of $Me_2Sn(dmio)$ and $[NEt_4][Ph_2SnCl(dmio)]$, 140
Triphenylsilyl complexes
Facile cleavage of Si–Si or Si–Ge bonds in the reactions of disilanes or germylsilanes with cobalt carbonyl, 181
Tungsten
Oxide bridged mixed metal organometallics: the reaction of $Ru_4(CO)_{13}[\mu_3\text{-}PN(R)_2]$ R = ^{i}Pr, Cy with $Cp^*W(O)_2CCPh$, 126

Unsaturated alkylidyne ligands bearing a terminal isocyanide functionality and intervening ethynylbenzene groups, 223
Uranium(IV) diphenylphosphide compounds
Bispentamethylcyclopentadienyl uranium diphenylphosphide compounds, 161

Variable temperature NMR calculation
Synthesis and characterization of dicyclohexyl telluride; Raman spectra and multinuclear NMR studies of dialkyl tellurides, 69
Vinylidene complexes
Chemistry of vinylidene complexes. XIII. The reaction between $Cp(CO)_2MnPt(\mu\text{-}C{=}CHPh)(\eta^2\text{-dppm})$ and $Fe_2(CO)_9$: simultaneous formation of the μ_3-vinylidene MnFePt and μ_4-vinylidene $PtFe_3$ clusters. Crystal structure of $(\eta_5\text{-}C_5H_5)MnFePt(\mu_3\text{-}C{=}CHPh)(CO)_6[\eta^1\text{-}Ph_2PCH_2P(=O)Ph_2]$, 238

Weakly Coordinating anions
Synthesis and structural characterization of new weakly coordinating anions. Crystal structure of $Ag(1\text{-}CH_3\text{–}CB_{11}H_5X_6)$ (X = H, Cl, Br, I), 197

X-ray diffraction
Chemistry of vinylidene complexes. XIII. The reaction between $Cp(CO)_2MnPt(\mu\text{-}C{=}CHPh)(\eta^2\text{-dppm})$ and $Fe_2(CO)_9$: simultaneous formation of the μ_3-vinylidene MnFePt and μ_4-vinylidene $PtFe_3$ clusters. Crystal structure of $(\eta_5\text{-}C_5H_5)MnFePt(\mu_3\text{-}C{=}CHPh)(CO)_6[\eta^1\text{-}Ph_2PCH_2P(=O)Ph_2]$, 238
Reactions of a cyclotrisilane with Lewis acids—formation of new cyclotrisilanes and siliconium ions, 330
Tin(IV) complexes with *O*-ethyl(*N*-ethyl-*N*,*N*-dimethylammoniomethyl)phosphonate, 113

Zirconium
Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato] titanium and zirconium(IV) complexes. Molecular structure of $[Ti(HB(3,5\text{-}Me_2pz)_3)Cl_3]$, 174
Synthesis of ring-substituted bis-η^5-cyclopentadienyl derivatives of the Group IV elements containing the bicyclic ligands $\eta^5\text{-}C_5H_3(1,2\text{-}CH_2\text{–})_n$, $n = 4$, 5, or 6, 211